

Collective Protection Equipment (CPE)

# Protective covers


Protective curtains provide an effective barrier against radiation, welding arcs and spatter. They are also ideal for separating work areas or parts of a workshop.

Complies with standard EN ISO 25980: 2015.

### Protective straps

 $\downarrow$ 

 $\leftrightarrow$ 



300 x 2 mm

(1.8 m x 8 straps)

061514

### Protective screens (frames provided)

300 x 2 mm

50 m

061521/061538








		OPTI 140.0		
	<b>\$</b>	1,60 x 1,40 m		
7	Colour	Orange CE		
	PN.	060487		
	Thickness	0,4 mm		

		(without frame)	Colour	<b>å</b> kg	<del>*</del>	PN.
• A	OPTI 215.0	2 x 2,15 m	Orange CE	16.11	0,4 mm	060470
• B	OPTI 200.0	2 x 2 m	Orange CE	7.22	0,4 mm	060227
• c	OPTI 200.G	2 x 2 m	Green T9	7.08	0,4 mm	060463

The OPTI 215.0 has four castor wheels and a sliding curtain.



#### Protective cabinet

N. 060616

- Complies with the European standard EN 1598-2011
- Can filter a welding arc's visible and invisible
- 100% fire-resistant PVC material (very resistant, thickness 0.4 mm)
- No tools required for assembly
- Floor area: 5.76 m<sup>2</sup> (10 m<sup>3</sup>)

	$\updownarrow$	Ĭ	₽kg
OPTICAB	240 x 240 x	965 x 290	38
240 G	180 (H) cm	x 290 cm	

# Protective covers

Prevents molten steel spatter from being projected inside the vehicle being repaired, the protective covers can withstand extreme heat from 550 - 1300°C.









	A	В	C	D
	PROTEC 550	PROTEC 1200	PROTEC 1300	PROTEC 1300L
$\updownarrow$	2 x 2 m	1,75 x 1,50 m	2 x 1,80 m	2 x 1,80 m
ł	550°C	1200°C	1300°C	1300°C
å	590g/m² 2,4 kg	1200g/m² 3kg	600g/m² 2,2kg	420g/m² 427g
<del>*</del>	0,75 mm	1,3 mm	0,7 mm	5 mm
PN.	050495	050204	053595	060500

Essential



Created in 1964, GYS is a French family group bringing together 700 employees worldwide. With a leading research centre, GYS is a major player in the design and the manufacturing of welding equipment, of battery chargers and automotive bodywork repair equipment.





